

SGI™ ProPack 1.4 for Linux™ Start Here

Document Number 007-4062-006

COPYRIGHT

© 1999-2000 Silicon Graphics, Inc. All rights reserved; provided portions may be copyright in third parties, as indicated elsewhere herein. No permission is granted to copy, distribute, or create derivative works from the contents of this electronic documentation in any manner, in whole or in part, without the prior written permission of Silicon Graphics, Inc.

Cover Design by Sarah Bolles, Sarah Bolles Design, and Dany Galgani, SGI Technical Publications.

LIMITED RIGHTS LEGEND

The electronic (software) version of this document was developed at private expense; if acquired under an agreement with the USA government or any contractor thereto, it is acquired as “commercial computer software” subject to the provisions of its applicable license agreement, as specified in (a) 48 CFR 12.212 of the FAR; or, if acquired for Department of Defense units, (b) 48 CFR 227-7202 of the DoD FAR Supplement; or sections succeeding thereto. Contractor/manufacturer is Silicon Graphics, Inc., 1600 Amphitheatre Pkwy 2E, Mountain View, CA 94043-1351.

Silicon Graphics is a registered trademark and SGI and SGI ProPack for Linux are trademarks of Silicon Graphics, Inc.

Cisco is a trademark of Cisco Systems, Inc. IBM and Mylex are trademarks of International Business Machines Corporation. Intel is a registered trademark of Intel Corporation. Linux is a registered trademark of Linus Torvalds, used with permission by Silicon Graphics, Inc. NCR is a trademark of NCR Corporation. Oracle is a trademark of Oracle Corporation. Red Hat is a registered trademark and RPM is a trademark of Red Hat, Inc. SuSE is a trademark of SuSE Inc. TurboLinux is a trademark of TurboLinux, Inc. UNIX is a registered trademark in the United States and other countries, licensed exclusively through X/Open Company, Ltd.

SGI™ ProPack 1.4 for Linux™ Start Here
Document Number 007-4062-006

Contents

	List of Tables	v
	About This Guide	vii
	Reader Comments	vii
1.	Release Features	1
	Feature Overview	2
	New Features	2
	Enhancements to Existing Features	3
	Qualified Drivers	4
	Patches and Changes to Base Linux Distributions	5
2.	Software Overview	7
	NFS Enhancements	8
	Advanced Linux Sound Architecture (ALSA) Drivers	9
	Performance Co-Pilot	10
	Performance Improvements	10
	Raw I/O Path Changes	11
	Large Physical Memory Support	12
	Fast Synchronization Mechanism	12
	POSIX Asynchronous I/O	13
	Kernel Spinlock Metering	13
	Crash Functionality	13
	Patches, Configuration Options, Commands, and Libraries	14
3.	Quick Configuration and Installation Instructions	17
	Configuring SGI Monitors on the Base Distribution	17
	Installing SGI ProPack 1.4 for Linux from a CD	18
	Recreating or Upgrading Your Preinstalled Software	20

List of Tables

Table 3-1	SGI Monitor Configuration Values	18
------------------	---	-----------

About This Guide

This document provides information about the SGI ProPack 1.4 for Linux release. It is divided into three chapters:

- Chapter 1, “Release Features,” describes the major features of this release.
- Chapter 2, “Software Overview,” describes the major features of earlier releases that are included in this release.
- Chapter 3, “Quick Configuration and Installation Instructions,” describes the procedures for configuring and installing the SGI ProPack 1.4 for Linux software in various circumstances, including upgrading your system from an earlier SGI Linux Environment release.

The SGI ProPack 1.4 for Linux is an overlay product that adds or enhances features in Linux base distributions from Red Hat (version 6.2), SuSE (version 6.4), or TurboLinux (6.0). Guides for installing and getting started with a base Linux distribution are included with the base Linux distribution release kit.

Reader Comments

If you have comments about the technical accuracy, content, or organization of this document, please tell us. Be sure to include the title and document number of the manual with your comments. (Online, the document number is located in the front matter of the manual. In printed manuals, the document number can be found on the back cover.)

You can contact us in any of the following ways:

- Send e-mail to the following address:
`techpubs@sgi.com`
- Use the Feedback option on the Technical Publications Library World Wide Web page:
`http://techpubs.sgi.com`

- Contact your customer service representative and ask that an incident be filed in the SGI incident tracking system.
- Send mail to the following address:
Technical Publications
SGI
1600 Amphitheatre Pkwy., M/S 535
Mountain View, California 94043-1351
- Send a fax to the attention of Technical Publications at the following number:
+1 650 932 0801

We value your comments and will respond to them promptly.

Release Features

This chapter provides a short introduction to the SGI ProPack 1.4 for Linux and describes the features provided with this release. Chapter 2, “Software Overview,” describes features supported in previous releases that enhance the features of your base Linux distribution.

Note: The information in this file is also available on your SGI ProPack 1.4 for Linux CD as *README.SGI*. Because that file can be updated later in the release cycle, you should check it for the latest information. The file is also installed in */usr/doc/README.SGI*.

The errata that describes issues which arose too late in the release cycle to be included in this document and provides help with all known problems is available at the following URL:

<http://support.sgi.com/linux>

Manuals for installing your base Linux distribution and getting started in using it are included with your base Linux distribution release kit. Use these manuals as a reference for information not included in this guide. If you need to reinstall your base distribution, you must read “Configuring SGI Monitors on the Base Distribution” on page 17.

Documentation for the SGI ProPack 1.4 for Linux software and for Linux in general, including man pages, HOWTO guides, and other relevant documentation from the Linux Documentation Project, is available from the following URL:

<http://techpubs.sgi.com>

SGI maintains the following Web site for open source information that describes projects related to its open source efforts:

<http://oss.sgi.com>

Note: Packaged with the SGI ProPack 1.4 for Linux software is a separate sheet that contains the Software License Agreement. This software is provided to you solely under the terms and conditions of the Software License Agreement. Please take a few moments to review the Agreement.

Feature Overview

SGI ProPack 1.4 for Linux includes modules that provide manageability and scalability for Internet and high-performance clustering applications. This release also provides SGI enhancements for Linux to international customers.

SGI ProPack 1.4 for Linux is an overlay product that adds to or enhances features in base Linux distributions from Red Hat (version 6.2), SuSE (version 6.4), or TurboLinux (version 6.0).

The SGI ProPack 1.4 for Linux software will most likely come preinstalled on your SGI platform. If you should need to install it, be aware that you must install one of the supported base Linux distributions using the base distributor's installation tools and then install the SGI ProPack software using the ProPack installer. This is also true if you are upgrading from an earlier version of the SGI Linux Environment. Installation and configuration is described in Chapter 3, "Quick Configuration and Installation Instructions."

The SGI ProPack 1.4 for Linux software is designed to run on any x86 Linux system, but only the SGI platforms are guaranteed. SGI hardware platforms supported by this release are documented at the following URL:

<http://support.sgi.com/linux>

New Features

New features provided in SGI ProPack 1.4 for Linux are as follows:

- Process Aggregates (PAGGs) consists of modifications to the Linux kernel that let developers create loadable kernel modules to group processes into aggregates. PAGGs provides functions that allow loadable kernel modules to register as providers of a specific type of process aggregate implementation. Additionally, this feature ensures that membership in a process aggregate, or group, is inherited across process forks.

PAGGs can be used to support a formal job container on Linux. Comprehensive System Accounting, which provides enhanced job accounting, is being ported to Linux. Comprehensive System Accounting will make use of the future job container kernel module.

To learn more about Process Aggregates and the job container module for Linux, please consult:

<http://oss.sgi.com/projects/pagg>

For more information about Comprehensive System Accounting, please consult:

<http://oss.sgi.com/projects/csa>

- The latest journalling file system from Hans Reiser, *reiserfs* version 3.5.23, provides better compatibility with SuSE installations.
- The patch *udf-0.9.2.1.patch* provides the Universal Disk Format (UDF), which is the new DVD and CD-ROM file system format that is expected to replace the ISO9660 standard.
- Support for a pre-release version of the 2.4 Linux kernel. This is experimental software; therefore, it is unsupported and should be run at your own risk. This software includes a pre-release of XFS. For more information, visit:
<http://linuextoday.com/stories/15936.html>
- Install this software by executing `./INSTALL -k 2.4.0` rather than `./INSTALL`.

Enhancements to Existing Features

Updates to features previously supported in SGI ProPack are as follows:

- Enhancements to NFS to allow server support for NFS over TCP. This support allows any file system exported by the server to be mounted by a client using TCP as the transport mechanism. TCP as a transport mechanism provides better congestion control and no limit on transfer sizes as well as other benefits. For more information, see “NFS Enhancements” on page 8.
- Enhancements to PCP support, including the following:
 - An update to PCP version 2.1.9-9, with a large number of minor bug fixes (see the file `/usr/doc/pcp-2.1.9/CHANGELOG` for details).
 - A rework for the `rc` scripts for `pcp`, `pmie`, and `pmlogger` so they work correctly on all supported base distributions.
 - The `pmsocks` utility allows PCP to monitor TCP applications through `socks4` firewalls. With this utility, you can monitor systems on the Internet at large from within a firewall.

- XFS and *pagebuf* metrics (these are only available if you run the 2.4 kernel with XFS, as described later in this list).
- Support for NFS (version 3) PCP metrics.
- An extension of the *weblogs* PCP agent lets PCP report proxy HTTP servers and adds assorted HTTP cache statistics.
- A fix for the Cisco router PCP agent.
- The device file system (DEVFS) was updated to v99.17, which provides a better device management infrastructure as well as an IRIX-like hardware graph (*/hw*). This version is the latest 2.2.x version with most 2.4 kernel DEVFS features backported to 2.2.
- The kernel was updated to use *sard* patch version 0.6 and enhanced to correctly update the disk read I/O and write I/O accounting for Mylex RAID. The read I/O and write I/O counters exported in */proc/partitions* are correctly updated each time the kernel reads or writes to a disk. This in turns allows PCP to be used to monitor disk I/O operations on systems that have Mylex RAID controllers. The Mylex RAID driver was also updated to version 2.2.8 and the device naming convention was changed to conform to the DEVFS standard.
- An accounting patch to the kernel (*syscall* accounting) counts per-CPU system calls, and corresponding new metrics were added to PCP (*kernel.all.syscall* and *kernel.perCPU.syscall*). This feature will be used by PCP in layered products that integrate with SGI's Embedded Support Partner (ESP) using SGI ProPack 1.4 for Linux as a base.
- The *lcrash* utility was updated to version 2.2, which supports *lcrash* on IDE drives as well as SCSI drives.

Qualified Drivers

SGI ProPack 1.4 for Linux provides new and updated drivers.

The Advanced Linux Sound Architecture (ALSA) drivers included in SGI ProPack 1.4 for Linux make up the newest sound subsystem for Linux and provide advanced multimedia capabilities not previously available. See “Advanced Linux Sound Architecture (ALSA) Drivers” on page 9 for more information.

The QLogic 1080/1280 and 2100 drivers have been supplied by QLogic Corporation, and include updated firmware and improved error handling.

The Qlogic drivers were updated to the following new versions:

- The qla2x00 driver version 4.0 for 2100 and 2200 cards. This version works on the 2.2 and 2.4 kernels as well as IA64.
- The qla1280 driver version 3.12.
- The qla1040 driver version 1.20.

The Alteon Gigabit Ethernet driver has been modified to recognize and drive the SGI Gigabit Ethernet card. SGI ProPack 1.4 for Linux supports version 0.45.

Other drivers have new versions as follows:

- DAC960 (Mylex) driver version 2.2.8.
- Adaptec driver version 5.1.31, which fixes problems on SGI 1200 and SGI 1450 servers.
- USB driver version usb2.4.0-test2-pre2, which provides the USB support from the version 2.4 Linux kernel backported to work with the 2.2.x kernel.

Patches and Changes to Base Linux Distributions

This section provides an overview of changes that the SGI ProPack 1.4 for Linux software makes in your base Linux distribution.

The following packages were added by SGI:

- libdba.so 1.0 (APIs to enhance database performance)
- lockstat 1.0 (spinlock metering analysis)
- sard 0.6 (disk activity statistics/analysis)
- sgi-logos 1.0.1 (SGI logos)
- sgi-fonts 1.0 (SGI fonts)
- sgi-extra-RedHat 1.7 (manipulate system files for SGI value-added features)
- sgi-extra-SuSE 1.7 (manipulate system files for SGI value-added features)
- sgi-extra-TurboLinux 1.7 (manipulate system files for SGI value-added features)
- sgi-initscripts-RedHat 1.4 (manipulate init scripts for SGI value-added features)

- `sgi-initscripts-SuSE` 1.4 (manipulate init scripts for SGI value-added features)
- `sgi-initscripts-TurboLinux` 1.4 (manipulate init scripts for SGI value-added features)
- `sgi-release` (SGI release identification)
- `devfsd` 1.3.10 (daemon that allows backward compatibility with old device file systems)
- `mkinitrd` 2.3 (creates an initial ramdisk image for preloading modules)
- `mount-2.9u-4_nfsv3` 0.3 (provides mount support for NFS version 3)
- `hinvt` 1.4pre2 (provides support for *hinvt*)
- `alsa-lib` 0.5.9 (provides support for ALSA driver libraries)
- `alsa-utils` 0.5.9 (provides support for ALSA driver utilities)
- `xfs-cmds` 1.0.4 (provides XFS support)
- `sgi-propackdocs` 1.4 (HTML-formatted documentation for SGI ProPack 1.3 for Linux)
- `sgi-propackdocs-print` 1.4 (PDF-formatted documentation for SGI ProPack 1.3 for Linux)

Software Overview

This chapter describes features supported in previous releases that enhance the features of your base Linux distribution. For a description of new features or new enhancements for this release, please read Chapter 1, “Release Features.”

The SGI ProPack 1.4 for Linux software provides the Linux kernel version 2.2.16. The ProPack software adds functionality to base Linux distributions that is specific to SGI hardware platforms.

Some of the most significant features that Linux provides are listed below:

- An extensible UNIX-like kernel, supporting symmetric multiprocessing
- Typical commands you would expect to see on a UNIX-like system
- Typical configuration files you would expect to see on a UNIX-like system, along with an optional graphical frontend
- Development tools such as compilers, debuggers, and libraries
- Internet applications such as Web servers and browsers, news servers, network utilities, e-mail servers, and clients
- Everything needed for network file sharing with a wide variety of clients
- Desktop environments and graphical applications

The SGI ProPack 1.4 for Linux software provides optimization that enhances performance on database and other workloads. SGI has added a number of features to the Linux kernel and certain packages to provide increased performance and manageability for database workloads (such as Oracle 8i).

The performance enhancements include a kernel-level implementation of POSIX 1003.1-1996 asynchronous I/O, a low-overhead interprocess synchronization mechanism, low overhead and high-volume raw disk I/O, and support for large amounts of physical memory.

The manageability and supportability improvements include kernel spinlock metering (for performance bottleneck analysis), kernel profiling enhancements, kernel memory dump capability with analysis tools, and kernel gdb hooks. SGI ProPack 1.4 for Linux also includes version 0.6 of the kernel debugger *kdb*. The features of *kdb* releases are documented at the following URL:

<http://oss.sgi.com/projects/kdb>

The manageability of the release has been improved by integrating a number of publicly available kernel patches, such as the following:

- Stephen Tweedie’s Raw I/O patch, which forms the basis for the SGI raw disk I/O enhancements. This patch is described in “Raw I/O Path Changes.”
- The Device File System (CONFIG_DEVFS_FS) patch from Richard Gooch. This patch provides a more consistent naming scheme for hardware and software devices. Sites that expect to connect a large number of devices may find DEVFS very useful in helping to manage them. DEVFS can also provide the traditional Linux names for devices, for backward compatibility, and is otherwise very compatible with the rest of the Linux system.
- The *sard* utility and associated kernel metrics patch for disk traffic analysis. This patch provides additional disk I/O statistics, useful for tuning database layouts and queries.

The kernel in SGI ProPack 1.4 for Linux contains both traditional and simplified Chinese by default.

NFS Enhancements

SGI ProPack 1.4 for Linux includes server support for NFS over TCP.

The Linux kernel has had client-side support for NFS over TCP, which means that a user can mount a file system from a server using TCP as the underlying transport. However, because the Linux server did not support NFS over TCP, the transport mechanism required you to use servers running non-Linux kernels.

With the addition of server support, any file system that the server exports can be mounted by a client using TCP as the transport mechanism. The client will need to explicitly specify the protocol as TCP, because UDP is used by default. For example, to mount `/server` over `/mnt` using TCP from the server `sgi-server`, the client needs to execute a command something like the following:

```
client> mount -o proto=tcp sgi-server:/server /mnt
```

The advantages of using TCP as a transport (as opposed to UDP) include better congestion control, no limit on transfer sizes, better performance over WANs, and error recovery and retransmit handling at the transport layer rather than the application layer.

The following additional NFS functionality has been added to SGI ProPack for Linux:

- NFS version 3 client and server support
- Network Lock Manager (NLM) version 4 client and server support
- Kernel level NFS and NLM implementation
- A number of bugfixes for the NFS server and client

NFS and NFSD are configured as modules by default, but they can be configured to compile as part of the kernel by setting the `CONFIG_NFS_FS` and `CONFIG_NFSD` configuration parameters. The `CONFIG_NFS_V3` and `CONFIG_NFSD_V3` parameters are set by default and can be turned off if the user wants to use NFS version 2 only. The `CONFIG_NFSD` parameter needs to be configured for `LOCKD` to work, so if `CONFIG_LOCKD` is set, `CONFIG_NFSD` should be set also.

Advanced Linux Sound Architecture (ALSA) Drivers

SGI ProPack 1.4 for Linux contains support for the Advanced Linux Sound Architecture (ALSA) drivers. These drivers make up the newest sound subsystem for Linux and provide advanced multimedia capabilities not previously available. The presence of these drivers will not be noticed by anyone except people who want to use the digital media SDK or who use Silicon Graphics Visual Workstations for serious audio purposes.

ALSA's mixer model is more sophisticated than that of the standard Linux audio driver, providing fine control over muting and volumes of audio channels. The standard Linux audio drivers (Open Sound System or OSS) does not offer a mute separate from volume, nor does OSS distinguish between input gains for recording and output feedback

volumes for input sources. ALSA does, and these features are essential for the digital media SDK and for serious audio use.

The main advantages of the ALSA drivers are as follows:

- Full support for digital media SDK
- Advanced multimedia capabilities
- Audio capabilities essential to professional audio use
- Advanced synchronization and timing features not available in the standard sound drivers

Performance Co-Pilot

Performance Co-Pilot (PCP) provides a framework and set of services to support system-level performance monitoring and performance management. The PCP open source release provides a unifying abstraction for all of the interesting performance data in a system, and allows client applications to easily retrieve and process any subset of that data using a single API.

A client-server architecture allows multiple clients to monitor the same host and a single client to monitor multiple hosts (for example, in a Beowulf cluster). This enables centralized monitoring of distributed processing.

Integrated archive logging and replay allow client applications to use the same API to process real-time data from a host or historical data from an archive.

The framework supports APIs and configuration file formats that enable the scope of performance monitoring to be extended at all levels.

The open source release of PCP provides a subset of the features of SGI's Performance Co-Pilot products for IRIX (see <http://www.sgi.com/software/co-pilot/>).

Note: Enhancements for PCP in the SGI ProPack 1.4 for Linux release are detailed in “Enhancements to Existing Features” on page 3.

Performance Improvements

The performance enhancements, enumerated in the preceding section, accelerate the performance of I/O intensive applications by streamlining the kernel code and data paths for disk I/O as well as providing larger shared memory segments and a low overhead interprocess synchronization mechanism.

Raw I/O Path Changes

Current file-system-based disk I/O requires fixed size I/O operations (typically 1024 bytes) into kernel buffers, then the data is moved from the kernel buffer to the user program address space. While this allows the file system to cache frequently accessed data, it also consumes excess system bus bandwidth when copying the data from the kernel buffer(s) into the user address space. Both the small size of the I/O (2 sectors) and the copy operation greatly reduce the I/O subsystem throughput for database operations, where transactions and full-table scan operations operate more quickly with no operating system data intervention.

To help alleviate this problem, Stephen Tweedie of Red Hat developed a mechanism that allows disk I/O directly to a buffer in the application address space (historically known as raw (or unprocessed) I/O). This mechanism will lock the required pages of memory to prevent them from being paged out or swapped during the I/O operation. Applications required to perform this type of disk I/O would open the character special device `/dev/raw` and bind the disk device to a special raw device using an `ioctl(2)` system call.

This mechanism, however, is cumbersome to use and suffers from some deficiencies. The primary deficiency with the mechanism comes from its continued use of the file-system buffer-header data structures and associated device queueing routines. While use of the buffer headers is a straightforward mechanism, it implies that I/O operations will still need to be fragmented into 1024-bytes per operation, increasing the kernel overhead significantly. The binding mechanism used to bind an existing block device to a new raw device is also somewhat cumbersome and counterintuitive to UNIX system administrators, who expect to find a relationship in the device namespace between a block device and its corresponding raw device.

To address these concerns, SGI has added additional capabilities to Stephen Tweedie's raw I/O patch that allow large I/O operations directly to the user address space and bypasses the bulk of the kernel I/O queueing code for SCSI and FiberChannel devices.

You can download a *dd* command that is capable of using the raw device features from the following FTP location:

`ftp://oss.sgi.com/projects/rawio/download/dd.raw`

This feature is off by default, but you can turn it on by setting the **CONFIG_RAW** kernel configuration parameter.

More information about raw I/O is available from the following URL:

`http://oss.sgi.com/projects/rawio/faq.html`

Large Physical Memory Support

Large amounts of physical memory coupled with the ability to create large (multi-gigabyte) shared memory segments provide a boost in performance to database workloads. SGI includes a configuration parameter to configure the Linux community standard implementation that supports more than 2 GB of physical memory.

You need to run the i686 SMP kernel to use this feature.

Fast Synchronization Mechanism

While the UNIX System V IPC semaphore facility does provide exceptional capability, its performance leaves much to be desired. Many UNIX vendors have released a low-overhead interapplication synchronization primitive known as “post /wait.”

SGI has included in this release a kernel level implementation of post/wait along with the library containing application API's. The post allows for a process to “wait” for an event. This event can either be a timeout or a “post” from another process. A group of cooperating processes can use these “post” and “wait” facilities to synchronize among themselves.

In order to use post/wait, the kernel must be compiled with the **CONFIG_PW** configuration variable, and you may optionally set an additional configuration variable, **CONFIG_PW_VMAX**. These variables are described in the configuration help. For a user program to use the post/wait facilities, it must link against *libdba.so*.

For more information on post/wait, please refer to the *postwait(3)* man page.

POSIX Asynchronous I/O

The ability to overlap I/O and processing activities has always been important to high-performance applications. To allow this type of overlap in single-threaded applications, SGI has included a kernel-level implementation of POSIX asynchronous I/O and the associated API library.

SGI ProPack 1.4 for Linux works with raw devices as well as with file systems including pipes and sockets.

This facility is turned on by setting the **CONFIG_AIO** kernel option. User code can get access to the facility by linking with *libdba.so*. Further information can be found in the */lib/libdba/README* file.

Kernel Spinlock Metering

As part of the experimental (and non-supported) 2.4 kernel, SGI ProPack 1.4 for Linux includes experimental software as part of a feature that allows developers to gather statistical information about the SMP kernel's use of spinlocks and mrlocks (multiple-reader single-writer spinlocks). This functionality is called *spinlock metering*, or *lockmetering*.

Spinlock metering is built into the kernel using the **CONFIG_LOCKMETER** configuration option (in the Kernel Hacking section of `make xconfig`). A kernel built with lockmetering will exhibit a small (roughly 1%) performance degradation relative to a kernel that is not configured for lockmetering. See the following URL for additional information:

<http://oss.sgi.com/projects/lockmeter>

Crash Functionality

The following changes have been made to the Linux crash utility, which are explained briefly below. General information about *lcrash* can be found in the */cmd/lcrash/README* file.

- Linux kernel crash dump enhancements. SGI ProPack 1.4 for Linux provides a configuration option to allow kernel crash dumps to be available. This option is configured to be on by default, and the default dump space is the first swap

partition found when booting. If you are building a new kernel, you can specify *Support kernel crash dump capabilities* in the Kernel Hacking section of `make xconfig`.

The crash dump capabilities in the kernel allow the system to create a crash dump when a failure occurs due to a `panic()` call or an exception. For more details on the dump method, compression used, and so on, please read the LKCD FAQ at the following URL:

<http://oss.sgi.com/projects/lkcd/faq.html>

Information about LKCD is also available in the file `/cmd/lcrash/README.lkcd`.

- Boot up process changes. As the system boots up, the `/sbin/vmdump` script will be run out of `/etc/rc.d/rc.sysinit`. This script saves crash dumps and reads `sysconfig` variables to open the dump device and configure the system for crash dumps.
- Crash dump configuration options. There are a number of configurable options to save system crash dumps. Please read `/etc/sysconfig/vmdump` for more details on the options available. The following list describes what the options allow you to do:
 - Determine if you want to implement crash dumps in the kernel
 - Choose whether to save crash dumps to disk or not
 - Change the location to which the crash dumps are saved
 - Specify any block dump device you want
 - Compress (or not compress) the crash dumps
 - Configure the system to reset (or not reset) after a failure
- The `lcrash` utility now uses the new `librl` library for command line input.

Patches, Configuration Options, Commands, and Libraries

The following list describes patches implemented and enhancements to configuration options, commands, and libraries:

- `librl` library. This new library supplies command line editing and command history functionality. See the `/cmd/lcrash/lib/librl/README` file for information on how to use this library. The `lcrash` command uses this library.
- `rlimits` patch. In the Linux 2.2.15 kernel, faulty `rlimit` checking will not allow a process to have more than 2 GB total address space, stack size, or locked memory. This release has fixed the `rlimit` checking, so (subject to other accounting limitations) the kernel honors `RLIM_INFINITY` settings on these resources.

- SMP PTE patch. In stock Linux, the page stealing code that is used under high memory load has a bug that might cause it to steal a page from a process without writing out the contents to swap if the page has been modified by the process. This bug is only present in a multiprocessor machine. SGI ProPack 1.4 for Linux provides a fix for this bug.

Quick Configuration and Installation Instructions

Your SGI machine comes with a base Linux distribution and the SGI ProPack 1.4 for Linux overlay software preinstalled. This chapter describes how to install the software from the CD if at some time you need to reinstall it. The chapter also describes how to upgrade from earlier SGI Linux releases.

Note: For security reasons, Linux requires a root password for login. This password for your preinstalled software is `sgisgi`. After you have logged in, change this root password to be a string of your own choice.

If you need to install software, be aware that you must install a base Linux distribution using the base distributor's installation tools and then install the SGI ProPack 1.4 for Linux software using its installer as described in this chapter. You should configure the base Linux distribution as described in the installation manual for the base distribution.

Note: The SGI ProPack 1.4 for Linux software only works with Red Hat 6.2, SuSE 6.4, or TurboLinux 6.0. Earlier versions of these distributions, or any other distributions, are not compatible with SGI ProPack 1.4 for Linux.

Before you install or configure your system, please read Chapter 1, "Release Features," and Chapter 2, "Software Overview," so that you understand the features of SGI ProPack 1.4 for Linux and how to configure them.

Configuring SGI Monitors on the Base Distribution

Should you need to install a base Linux distribution, it is safe to allow the X Configuration mechanism to auto-probe your graphics hardware. When you are asked

to provide information for your monitor, you may refer to the following table to get information for various SGI monitors:

Table 3-1 SGI Monitor Configuration Values

Monitor	Horizontal Sync	Vertical Sync
SGI 17-inch 340C	30-95	48-180
SGI 17-inch GDM-17E11	30.0-85	48.0-150.0
SGI 17-inch GDM-2011P	30.0-85.0	48.0-150.0
SGI 17-inch M-7S54SG	30.0-92.0	48.0-160.0
SGI 19-inch CNMB024B	30-100	48-200
SGI 21-inch GDM-5011P	30-107	48-160
SGI 21-inch 420c	30-107	48-160
SGI 21-inch GDM-5411	30-121	48-160
SGI 20-inch GDM-20E21	30.0-96.0	48.0-160.0
SGI 20-inch GDM-4011P	30.0-96.0	48.0-160.0
SGI 21-inch GDM-5011P	30.0-107.0	48.0-160.0
SGI 21-inch GDM-5021PT	30.0-107.0	48.0-160.0
SGI 24-inch GDM-90W11	30.0-96.0	48.0-160.0

Installing SGI ProPack 1.4 for Linux from a CD

Should you need to install SGI ProPack 1.4 for Linux from a CD, first ensure that either Red Hat 6.2, SuSE 6.4, or TurboLinux 6.0 is installed, and then use the procedure in this section.

The installation procedure has buttons that will allow you to go back to the previous screen or to quit the installation. To use these buttons, press the **Tab** key to highlight the one you want to use and press **Enter**.

1. Log in as root.
2. Mount the SGI ProPack 1.4 for Linux CD by executing the mount command as you have configured it. A common example is `mount /dev/cdrom /mnt/cdrom`.
3. Change directories to the root directory for the mounted CD. A common root directory is `/mnt/cdrom`.
4. Execute `./INSTALL`

Note: SGI ProPack 1.4 for Linux provides support for a pre-release version of the 2.4 Linux kernel. This is experimental software; therefore, it is unsupported and should be run at your own risk. This software includes a pre-release of XFS. Install this software by executing `./INSTALL -k 2.4.0` rather than `./INSTALL`.

5. Select the language you want to use for the installation procedure. The default is English. Use the up and down arrow keys to select your language of choice. Press the **Tab** key to highlight **OK** and press **Enter**.
6. The Welcome screen appears. Highlight **OK** and press **Enter**.
7. The Package Group Selection screen appears. This screen allows you to select the type of package you want to install. You select a package by using the up and down arrow keys and pressing the Space bar to select the one you want. When you select a package, RPMs for that package will be installed after you press the **Tab** key to highlight **OK** and press **Enter**.

You may also choose “Select individual packages,” which lets you choose the specific RPMs that you want to install.

8. You may see the Package Dependencies screen, which tells you if there are additional packages required beyond those you selected. Review the packages. If you want to install them (you should install them unless there is some important reason not to do so), press the **Tab** key to highlight **OK** and press **Enter**.
9. The Installation to Begin screen appears. It tells you that a log of the installation will be placed in `/tmp/sgi-install.log`. Press the **Tab** key to highlight **OK** and press **Enter**.

10. The installation begins. You will see the Package Installation screen, which tells you which packages are being installed and logs the time it takes to install them.
11. After the installation is complete, the Complete screen appears. Press **Enter**. You are returned to the root prompt.
12. After the ProPack installation is complete, you should reboot your system in order to begin using the newly installed SGI ProPack 1.4 for Linux kernel. You can reboot by typing *reboot* and pressing **RETURN**.

Recreating or Upgrading Your Preinstalled Software

Should you need to recreate your system (returning it to its original state), simply install your base distribution (Red Hat 6.2, SuSE 6.4, or TurboLinux 6.0) as described in the distributor's installation instructions and then install the SGI ProPack 1.4 for Linux from the CD as described in "Installing SGI ProPack 1.4 for Linux from a CD" on page 18.

To upgrade your software from earlier SGI Linux releases, you should follow the instructions for upgrading the base distribution. SGI ProPack 1.4 for Linux will only run on Red Hat 6.2, SuSE 6.4, or TurboLinux 6.0.

After you have upgraded your base distribution, install the SGI ProPack 1.4 for Linux as described in "Installing SGI ProPack 1.4 for Linux from a CD" on page 18.

Note: It is not possible to change base distributions when upgrading your ProPack release. You must install the other base distribution and then install SGI ProPack 1.4 for Linux.